BANGLADESH
J.A.N. Associates
Tel : 880-2-8611444
Fax : 880-2-8610410

BRUNEI
Interhouse Company
Tel : 673-2-653001
Fax : 673-2-653003

CAMBODIA
Royal Cambodia Co. Ltd.
Tel : 855-23-428955
Fax : 855-23-722961

INDIA
Canon India Pvt. Ltd.
Tel : 91-124-4160000
Fax : 91-124-4160011
www.canon.co.in

INDONESIA
P.T. Datascrip
Tel : 62-21-6544515
Fax : 62-21-6544811
www.canon.co.id

MALAYSIA
Canon Marketing (Malaysia)
Sdn. Bhd.
Tel : 60-3-78446000
Fax : 60-3-78450505
www.canon.com.my

MALDIVES
SIMDI Company Pte. Ltd.
Tel : 960-3334421
Fax : 960-3334424

MYANMAR
Accel International
Company Ltd.
Tel : 95-1-202092/3/4
Fax : 95-1-202079

NEPAL
International Electronics
Concern (P) Ltd
Tel : 977-1-4421991
Fax : 977-1-4421909

PAKISTAN
Mega Business Machine
Tel : 92-21-2276926-8
Fax : 92-21-2276930

PHILIPPINES
Canon Marketing
(Philippines) Inc.
Tel : 63-2-8849000
Fax : 63-2-8109797
www.canon.com.ph

SINGAPORE
Canon Singapore Pte. Ltd.
Domestic Operations
Tel : 65-6799-8888
Fax : 65-6221-7577
www.canon.com.sg

SRI LANKA
Metropolitan Computers
(Pvt) Ltd.
Tel : 94-11-2437797
Fax : 94-11-2685322

THAILAND
Canon Marketing
(Thailand) Co. Ltd.
Tel : 66-2-3449999
Fax : 66-2-3449967
www.canon.co.th

VIETNAM
Canon Singapore Pte. Ltd.
Ho Chi Minh City
Representative Office
& Showroom
Tel : 84-8-8200466
Fax : 84-8-8200477

Hanoi Representative Office
Tel : 84-4-7711677
Fax : 84-4-7711678
www.canon.com.vn

Canon

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS
CANON SINGAPORE PTE. LTD.
1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632
http://www.canon-asia.com

Dealer's Stamp

0130W287

Canon
Delighting You Always

A COMPLETE GUIDE TO XEED PROJECTORS

XEED

MULTIMEDIA PROJECTOR

OUTSHINE THE COMPETITION

XEED

MULTIMEDIA PROJECTORS

With over 70 years of expertise in imaging technologies, Canon products are synonymous with optical excellence, advanced image processing, and superb performance. Canon's high-resolution and ultra-portable XEED multimedia projectors are no exception. Combining the brilliance and sharpness of the innovative LCOS (Liquid Crystal On Silicon) technology with Canon's proprietary AISYS light engine technology, XEED projectors deliver unsurpassed image quality and brightness that brings out the best from any presentation. Furthermore, a wide range of user-friendly features helps to get your presentations up and running in minimal time.

FOR SUPERIOR IMAGE QUALITY AND UNMATCHED CONVENIENCE, THERE'S NO CLEARER CHOICE THAN XEED.

CUTTING-EDGE TECHNOLOGY FOR UNPARALLELED PERFORMANCE

PRISTINE IMAGES WITH LCOS

Liquid Crystal on Silicon (LCOS) is a revolutionary projector technology that allows successive pixels to be aligned closely against each other. Unlike conventional LCD projectors that suffer from displays with a grid-like pixel pattern known as "screen door effect", LCOS technology gives you seamless images with exceptional colour and crisp, intricate detail. Text is easily readable while HD images leap off the screen with breathtaking quality and precision.



LCOS REFLECTIVE LCD PANELS



TRANSMISSIVE LCD PANELS

CONVENTIONAL PROJECTOR

XEED PROJECTOR

COMPACT PERFORMANCE WITH AISYS

A unique optical illumination system developed by Canon, Aspectual Illumination System (AISYS) enables the brilliant LCOS technology to be incorporated into a compact body. This is why XEED projectors are able to deliver incredible brightness and contrast, but without the cumbersome size usually associated with such high-level performance.

AISYS
Aspectual Illumination System

With AISYS technology, XEED projectors are only 40% the weight and 1/4 the size of their nearest competitors.

UNRIVALLED QUALITY WITH GENUINE CANON OPTICS

1.5x ZOOM LENS WITH 10:0 LENS OFFSET

The WUX10, SX80, and SX800 feature a new Genuine Canon 1.5x zoom lens. This lens delivers impeccable image quality at short distances while effectively suppressing lens aberrations. It also has new lens coatings that reduce both glare and ghosting. A 10:0 lens offset feature allows projectors to be pulled back even further without the image hitting the table or ceiling.



WITHOUT 10:0 LENS OFFSET



WITH 10:0 LENS OFFSET

WIDE-ANGLE 1.7x ZOOM LENS

The Genuine Canon wide-angle 1.7x zoom lens incorporated in the SX7 and X700 has the widest zoom range of any Canon projector lens. It allows XEED projectors to produce large, vibrant images from a distance of less than 2 metres. This is a useful feature for meeting rooms or homes with limited space.

ACCURATE COLOUR REPRODUCTION

Canon's high-accuracy Colour Management System (CMS) gives you precise colour reproduction and also compensates for changes in ambient light, so the colour you see is exactly as intended. All XEED projectors support the sRGB colour space, ensuring faithful reproduction of images through colour consistency with other sRGB compliant systems.

The XEED SX7 also support the Adobe RGB* colour space for superb reproduction of rich, natural colours. This is ideal for professional photography, design, publishing, printing, and fine art where colour integrity is crucial.



*As of December 2005, Canon data (among commercially available data projectors)

XEED WUX10

MULTIMEDIA PROJECTOR

THE WORLD'S FIRST WUXGA LCOS PROJECTOR

MAXIMUM DEFINITION MAXIMUM IMPACT

An amazing breakthrough in projector technology, the XEED WUX10 Multimedia Projector will take any presentation and turn it into a dazzling visual experience. From full-coloured photographs to spreadsheets with fine text, every detail is displayed with crisp accuracy and vibrant colours.

WUXGA SUPER-HIGH RESOLUTION

With the powerhouse XEED WUX10, Canon now offers the world's first WUXGA LCOS projector that produces images at a resolution of 1920 x 1200 pixels. At this resolution, text and diagrams are easily seen with high levels of clarity and sharpness. Combined with the latest notebook PCs that support native WUXGA resolution, what you have is a presentation setup that is guaranteed to impress your audience.

1920x1200 pixels (WUXGA resolution)

Normal resolution

FEATURES

- WUXGA Resolution (1920 x 1200) • 3200 ANSI Lumens
- Full 10-bit Image Processing • 1.5x Optical Zoom Lens
- 1000:1 Contrast Ratio • Network Ready RJ-45 Port
- HDMI v1.3 Deep Colour with 1080p Support

NATIVE WUXGA RESOLUTION (1920 x 1200)

As the world's first WUXGA-resolution widescreen projector, the WUX10 delivers an amazing 1920 x 1200 pixels of exceptional image quality with crisp details and precise colour reproduction — perfect for presentations incorporating high-quality visuals.



SUPERB IMAGE BRIGHTNESS & CONTRAST

A brilliant 3200 lumens image brightness and an excellent contrast ratio of 1000:1 gives you pure, high-contrast colours so images appear with more depth and dimension.

1.5x OPTICAL ZOOM LENS

An excellent 1.5x zoom lens displays images with unsurpassed accuracy and minimal distortion, while a 10:0 lens offset allows the projector to display unobstructed and undistorted images when placed parallel to any flat surface.

FULL 10-BIT IMAGE PROCESSING

The WUX10 features the ability to process analogue RGB and component signals, from input to display, in 10-bit resolution for higher-quality images.

HDMI VERSION 1.3 DEEP COLOUR

The built-in HDMI terminal supports Full HD 1080p signals provided by HDTV capable satellite and cable boxes as well as Blu-Ray players for high definition video playback.

NETWORK READY RJ-45 PORT

The WUX10 is equipped with a network interface (RJ-45) that enables centralised control and monitoring of multiple projectors from a networked PC.

CONVENIENT SETUP & EASY OPERATION

AUTO SET-UP

At the touch of a button, you can activate the Auto Set-up function that performs four vital set-up configurations in as little as four seconds*. Getting the perfect image set-up for your presentation has never been easier.

*SX800 features Auto Keystone and Auto Input Selection only

1 AUTO FOCUS

A ranging sensor measures the distance to the screen and automatically adjusts the focus in as quickly as one second.

2 AUTO INPUT SELECTION

Automatically detects and displays image signal from any input terminal.

3 AUTO KEYSTONE

Instantly calculates the angle of the projector and corrects for image distortion up to an angle of ±20 degrees.

4 AUTO COLOUR SCREEN

Self adjusts its colour balance to compensate for the projection surface colour, producing natural tones and hues.

OFF

Auto Focus

Keystone Distortion

Auto Keystone

OFF

Auto Colour Screen

DISPLAY IN HIGH DEFINITION WITH HDMI INPUT

Impress your audience with high definition picture quality. The WUX10 and SX80 have a HDMI terminal that lets you connect HD playback devices such as HD video camcorders and digital cameras for instant display of videos and images of the highest standard.

QUIET OPERATION

Noise made by projectors are due to the cooling system needed to dissipate the heat generated by the unit. The ventilation vents, cooling fan and layout of the optical array of XEED projectors have all been engineered for exceptionally quiet operation.

OFF AND GO

For those without the luxury of time, this convenient feature allows you to pack-up quickly after a presentation. Simply unplug the power cord and pack up the projector while the internal system continues to cool the unit.

XEED SX80
MULTIMEDIA PROJECTOR

FEATURES
• SXGA+ Resolution (1400 x 1050 pixels) • 3000 ANSI Lumens • 1.5x Optical Zoom Lens • 900:1 Contrast Ratio • USB & PictBridge Compatible • HDMI v1.3 Deep Colour with 1080p Support • Network Ready RJ-45 Port • Supports sRGB Colour Space

PERFECT PRESENTATIONS FROM ANY SOURCE

PC-FREE PRESENTATIONS WITH USB & PICTBRIDGE
This XEED SX80 Multimedia Projector is a powerful and exceptionally versatile performer. Included on the projector is a USB port that allows you to conveniently carry out presentations from devices such as digital cameras and flash drives.

NATIVE SXGA+ RESOLUTION (1400 x 1050 pixels)
The SX80 features high-resolution SXGA+ graphics, perfect for displaying crisp video, photographs, fine text, spreadsheets, CAD drawings, and engineering diagrams with razor sharp precision.

1.5x OPTICAL ZOOM LENS
An excellent 1.5x zoom lens displays images with unsurpassed accuracy and minimal distortion, while a 10:0 lens offset allows the projector to display unobstructed and undistorted images when placed parallel to any flat surface.

HDMI CONNECTIVITY & NETWORKING
The SX80's built-in HDMI terminal supports Full HD 1080p signals for high definition video playback and also has an RJ-45 network interface that enables centralised control and monitoring of multiple projectors from a networked PC.

XEED SX800
MULTIMEDIA PROJECTOR

FEATURES
• SXGA+ Resolution (1400 x 1050 pixels)
• 3000 ANSI Lumens
• 1.5x Optical Zoom Lens
• 900:1 Contrast Ratio
• Supports sRGB Colour Space

SOLID PERFORMANCE YOU CAN RELY ON

SUPERB VALUE & PERFORMANCE IN ONE PACKAGE
A fuss-free projector that's powerful yet easy to use, this is the XEED SX800 multimedia projector. All the advanced imaging technology with none of the frills, this affordable model is perfect for users who require the basic functions of a projector in exceptional quality.

HIGH-QUALITY IMAGE DISPLAY
The XEED SX800's 3000 lumens brightness and 900:1 contrast ratio ensures images are crisp with high-contrast and superior colour balance.

NATIVE SXGA+ RESOLUTION (1400 x 1050 pixels)
The SX800 features high-resolution SXGA+ graphics, perfect for displaying crisp video, photographs, fine text, spreadsheets, CAD drawings, and engineering diagrams with razor sharp precision.

1.5x OPTICAL ZOOM LENS
An excellent 1.5x zoom lens displays images with unsurpassed accuracy and minimal distortion, while a 10:0 lens offset allows the projector to display unobstructed and undistorted images when placed parallel to any flat surface.

XEED SX7
MULTIMEDIA PROJECTOR

PROJECTING A BRIGHTER & MORE COLOURFUL FUTURE
• SXGA+ Resolution (1400 x 1050 pixels)
• 4000 ANSI Lumens
• 1.7x Wide-Angle Zoom Lens • 1000:1 Contrast Ratio
• HD Ready • Supports Adobe RGB Colour Space

XEED X700
MULTIMEDIA PROJECTOR

NEW COMPACT SIZE WITH ENHANCED BRIGHTNESS
• XGA Resolution (1024 x 768 pixels)
• 4000 ANSI Lumens
• 1.7x Wide-Angle Zoom Lens
• 1000:1 Contrast Ratio • Supports sRGB Colour Space

SPECIFICATIONS

	XEED WUX10 MULTIMEDIA PROJECTOR	XEED SX7 MULTIMEDIA PROJECTOR	XEED SX80 MULTIMEDIA PROJECTOR	XEED SX800 MULTIMEDIA PROJECTOR	XEED X700 MULTIMEDIA PROJECTOR
Display device	LCOS reflective liquid crystal (3 panels)	LCOS reflective liquid crystal (3 panels)	LCOS reflective liquid crystal (3 panels)	LCOS reflective liquid crystal (3 panels)	LCOS reflective liquid crystal (3 panels)
Panel display resolution	1920 x 1200pixels (WUXGA)	1400 x 1050 pixels (SXGA+)	1400 x 1050 pixels (SXGA+)	1400 x 1050 pixels (SXGA+)	1024 x 768 pixels (XGA)
Brightness	3200 lm	4000 lm	3000 lm	3000 lm	4000 lm
Contrast ratio	1000:1	1000:1	900:1	900:1	1000:1
Focal length / F value	F1.85-2.65 / f=21.8 to 31.9mm	F1.85-2.5 / f=21.7 to 35.8mm	F1.95-2.6 / f=16.6 to 24.8mm	F1.95-2.6 / f=16.6 to 24.8mm	F1.85-2.5 / f=21.7 to 35.8mm
Zoom ratio	1.5x Optical Zoom (Electric)	1.7x Optical Zoom (Electric)	1.5x Optical Zoom (Electric)	1.5x Optical Zoom (Electric)	1.7x Optical Zoom (Electric)
Focus mechanism	Motorised (Auto focus)	Motorised (Auto focus)	Motorised (Auto focus)	Motorised (Auto focus)	Motorised (Auto focus)
Projection distance (100inch)	3.0~4.4m	3.0~4.9m	3.0~4.4m	3.0~4.4m	3.0~4.9m
Screen size	40-inch (86 x 54 cm) to 300-inch (646 x 404 cm)	40-inch (81 x 61cm) to 300-inch (610 x 457cm)	40-inch (81 x 61cm) to 300-inch (610 x 457cm)	40-inch (81 x 61cm) to 300-inch (610 x 457cm)	40-inch (81 x 61cm) to 300-inch (610 x 457cm)
Keystone adjustment	±20 degrees Vertical (Auto)	±20 degrees Vertical (Auto) ±20 degrees Horizontal	±20 degrees Vertical (Auto)	±20 degrees Vertical (Auto)	±20 degrees Vertical (Auto) ±20 degrees Horizontal
Colour support	sRGB Colour Space	Adobe RGB & sRGB Colour Space	sRGB Colour Space	sRGB Colour Space	sRGB Colour Space
HDMI support	HDMI Interface (1080p)	HD Ready	HDMI Interface (1080p)	-	-
Network connection	Network Ready (RJ-45) Port	-	Network Ready (RJ-45) Port	-	-
Noise	36/32dB	35/31dB	35/31dB	35/31dB	35/31dB
Light source	275W NSHA Lamp	275W NSHA Lamp	230W NSHA Lamp	230W NSHA Lamp	275W NSHA Lamp
Dimensions (W x D x H)	284 x 336 x 114mm	266 x 336 x 114mm	332 x 340 x 121mm	332 x 340 x 121mm	266 x 336 x 114mm
Weight	5.0kg	4.8kg	5.2kg	5.0kg	4.8kg

TERMINALS

XEED WUX10 MULTIMEDIA PROJECTOR

XEED SX7 MULTIMEDIA PROJECTOR | XEED X700 MULTIMEDIA PROJECTOR



XEED SX80 MULTIMEDIA PROJECTOR



XEED SX800 MULTIMEDIA PROJECTOR

POSITIONING THE PROJECTOR



XEED WUX10 / SX7 / SX700 / SX80 / SX800

KIT CONTENTS*
- Quick Start Guide
- User's Manual (CD-ROM)
- Remote Control Unit & Batteries
- DVI-VGA Cable
- Component-VGA Cable
- AC Power Cord
- USB Cable
- Lens Cover with Lens Cap
- Strap Carrying Case

OPTIONAL ACCESSORIES*
- Replacement Lamp
- Ceiling Mounting Bracket
- Ceiling Mounting Plate
- Ceiling Mounting Pipe (360mm)
- Ceiling Mounting Pipe (550mm)
- Ceiling Mounting Pipe (760mm)
- Network Adapter
- DVI Digital Cable
- Control Cable

*Kit content and optional accessories will vary depending on model